

Eye Shadow with HSE Green Tea Pigments

Herbal Skin Enhancer (HSE) treated Sericite creates a moist, lubricious skin feel. Green Tea Extract provides antioxidant properties.

Ingredient	INCI Name	Supplier	%
Phase 1			
Talc 141	Talc	Cosmetic Specialties	50.15
Zinc Stearate 921-G	Zinc Stearate	Brenntag	2.00
HSE GT-0061 Matte Sericite	Mica, Simmondsia Chinensis (Jojoba) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Cetyl Phosphate, Ascorbyl Palmitate	Color Techniques	30.00
HSE GT-1301 Yellow Iron Oxide	Iron Oxides, Simmondsia Chinensis (Jojoba) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Cetyl Phosphate, Ascorbyl Palmitate	Color Techniques	.50
HSE GT-1206 Red Iron Oxide	Iron Oxides, Simmondsia Chinensis (Jojoba) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Cetyl Phosphate, Ascorbyl Palmitate	Color Techniques	.05
HSE GT-1403 Black Iron Oxide	Iron Oxides, Simmondsia Chinensis (jojoba) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Cetyl Phosphate, Ascorbyl Palmitate	Color Techniques	.20
HSE GT-5100 Ultramarine Blue	Ultramarines, Simmondsia Chinensis (Jojoba) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Cetyl Phosphate, Ascorbyl Palmitate	Color Techniques	2.00
Ascorbyl Palmitate	Ascorbyl Palmitate	DSM	.05
Kaolin 2457	Kaolin	Brenntag	5.00
Phase 2			
Timiron® Splendid Blue	Mica, Titanium Dioxide, Silica, Ferric Ferrocyanide	EMD Chemicals	5.00
Phase 3			
Wickenol® 131	Isopropyl Isostearate	Alzo	1.50
Mixed Tocopherols	Tocopherol		.05

Continued

Eye Shadow With HSE Green Tea Pigments Eye Shadow with HSE Green Tea Pigments

Ingredient	INCI Name	Supplier	%
Xiameter® PMX-200 Silicone Fluid/100 cs	Dimethicone	Dow Chemical	2.50
Optiphen®	Phenoxyethanol, Caprylyl Glycol	Ashland	1.00
			100.00

Manufacturing Procedure:

- 1- Combine Phase 1 with thorough mixing. Mill once.
- 2- Add Phase 2 with thorough mixing.
- 3- Combine Phase 3 with stirring. Spray onto combined Phases 1 and 2 while agitating. Mill with low intensity.